

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15128	(709/220,221,222,227,228).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2010/06/02 17:04
L3	976	(WWN or "World Wide Name") same Fibre	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2010/06/02 17:04
L4	0	(WWN or "World Wide Name") same Fibre near3 log adj2 in	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2010/06/02 17:05
L5	7	(WWN or "World Wide Name") same Fibre with log adj2 in	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2010/06/02 17:05
L6	3517	(711/152,163,164).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2010/06/02 17:09
L8	361033	("I2" or "I7")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2010/06/02 17:09
S1	2	("6810478").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 09:20
S2	443834	Fibre Channel with WWN and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:09
S3	443823	Fibre Channel with WWN with log\$in with protocol and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:13

S4	1	"Fibre Channel" with WWN with log\$in with protocol and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:14
S5	1	"Fibre Channel" with WWN same log\$in with protocol and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:14
S6	5	"Fibre Channel" with WWN and log\$in with protocol and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:21
S7	2	("20020162010").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:22
S8	14	disk\$less with host with boot\$4 and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:29
S9	22	disk\$less same host same boot\$4 and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:29
S10	8	S9 not S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:31
S11	6120	bootstrap and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:52
S12	16	bootstrap and "Fiber Channel" and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:37
S13	42	boot\$4 with SAN and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:37

S14	0	(SAN or "storage area network") with (boot\$4) with (remote or disk\$less) and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 15:53
S15	8	(SAN or "storage area network") same (boot\$4) same (remote or disk\$less) and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 16:07
S16	1	(SAN or "storage area network") same (boot\$4) same (disk\$less) and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 16:08
S17	123	(boot\$4) same (disk\$less) and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 16:08
S18	7	((boot\$4) same (disk\$less)).ab.ti. and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 16:11
S19	259	((boot\$4) with (disk\$less))." and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 16:11
S20	101	((boot\$4) with (disk\$less))and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 16:11
S21	35	((boot\$4) with (disk\$less) and SAN)and @ad<="20010830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 16:11
S22	98	(configur\$4) same (SAN or "storage area network") same (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 09:24
S23	2	(configur\$4) same (SAN or "storage area network") same (stor\$4) with (different or many or several) with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 13:17

S24	304	(stor\$4) with (multiple or many or several) with different same (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 13:18
S25	0	(stor\$4) with (multiple or many or several) with different same (OS or "operating system") with WWN and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:02
S26	1	(stor\$4) with (multiple or many or several) with different same (OS or "operating system") and WWN and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/17 13:18
S27	15213926	boot\$4 with (OS or "operating system") (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S28	5530	boot\$4 with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:03
S29	7	boot\$4 with (OS or "operating system") same WWN and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:07
S30	34	boot\$4 with (OS or "operating system") and WWN and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:08
S31	27	S30 not S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 16:08
S32	25	("20020124124" "20030028695" "20030046583" "20030126315" "20030133464" "5524253" "5838907" "5930823" "6021436" "6029196" "6421723" "6446141" "6480901" "6480955" "6564228" "6640278" "6708265").PN. OR ("6834299").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/21 16:25
S33	171	(OS or "operating system") and WWN and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 15:13
S34	40	(OS or "operating system") same WWN and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 15:13

S35	2	("20020083339").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 15:44
S36	10	(OS or "operating system") same WWN same boot\$4 and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 15:48
S37	36	boot\$4 same WWN and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 15:52
S38	26	S37 not S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 15:52
S39	35	storage near3 device with (maintain or original) with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/09 22:13
S40	289	WWN and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/09 22:21
S41	15	WWN with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/09 22:22
S42	0	WWN same (different or many) near3 (types or configuration) with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/09 22:29
S43	0	WWN same (different or many) with (types or configuration) with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/09 22:29
S44	10481	(types or configuration) with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 10:03

S45	3	(types or configuration) with (OS or "operating system") with look\$up and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 10:03
S46	8	Identify\$4 with (OS or "operating system") with look\$up and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 10:06
S47	37	(HBA or "host bus adapter") with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 10:33
S48	13	(HBA or "host bus adapter") with (OS or "operating system") same WWN and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 10:36
S49	13	(HBA or "host bus adapter") with (OS or "operating system") same (WWN or WWNN or WWWPN) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 10:37
S50	5860	boot\$4 with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 10:54
S51	11	boot\$4 with (OS or "operating system") same (WWN or WWWPN or WWNN) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 10:55
S52	38	boot\$4 with (OS or "operating system") and (WWN or WWWPN or WWNN) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 10:56
S53	27	S52 not S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 10:57
S54	13	(HBA or "host bus adapter") with type near2 (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 11:32

S55	14	(OS or "operating system") near3 (HBA or "host bus adapter") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 11:34
S56	7	S55 not S54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 11:34
S57	9	identify\$4 with (OS or "operating system") with (HBA or "host bus adapter") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 11:36
S58	1142	identify\$4 near3 (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 11:38
S59	1142	identify\$4 near3 (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 11:38
S60	47	identify\$4 near3 (OS or "operating system") and ("HBA" or "host bus adapter" or WWN) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 11:38
S61	9	identify\$4 near3 type near2 (OS or "operating system") and ("HBA" or "host bus adapter" or WWN) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 11:38
S62	17	identifier near2 (OS or "operating system") and ("HBA" or "host bus adapter" or WWN) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 12:26
S63	0	database with look\$up same identifier near2 (OS or "operating system") and ("HBA" or "host bus adapter" or WWN) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 12:46
S64	0	database with look\$up same identifier near2 (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 12:47

S65	193	database with look\$up same (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 12:47
S66	21	database with look\$up with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 12:47
S67	622	updat\$4 adj2 (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:34
S68	0	updat\$4 adj2 (OS or "operating system") with requirement and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:34
S69	87	(updat\$4 adj2 (OS or "operating system")).ab.ti. and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:34
S70	76867	("709").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:34
S71	3	S69 and S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 13:35
S72	0	updat\$4 adj2 (OS or "operating system") with specificatin and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:38
S73	0	updat\$4 adj2 (OS or "operating system") with specification and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:38
S74	33	updat\$4 with (OS or "operating system") with specification and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:38

S75	23	updat\$4 with (OS or "operating system") with requirement and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:39
S76	416	updat\$4 with (OS or "operating system") with (computer or user) near2 (system or specification or requirement) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:41
S77	257	updat\$4 with (OS or "operating system") adj3 (computer or user) near2 (system or specification or requirement) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:41
S78	46	updat\$4 adj2 (OS or "operating system") adj3 (computer or user) near2 (system or specification or requirement) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:42
S79	0	updat\$4 adj2 (OS or "operating system") adj3 (computer or user) near2 (specification or requirement) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:42
S80	2	updat\$4 with (OS or "operating system") adj3 (computer or user) near2 (specification or requirement) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:42
S81	0	(send\$4 or transmit\$4) near2 updat\$4 with (OS or "operating system") adj3 (computer or user) near2 (specification or requirement) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:45
S82	31	(send\$4 or transmit\$4) near2 updat\$4 with (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:45
S83	0	(send\$4 or transmit\$4) near2 updat\$4 with (OS or "operating system") same "system requirement" and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:45
S84	0	updat\$4 with (OS or "operating system") same "system requirement" and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:45

S85	0	updat\$4 with (OS or "operating system") same ("system requirement" or "user requirement") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:45
S86	0	updat\$4 with (OS or "operating system") same ("system requirement" or "user requirement" or "client requirement") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/10 13:46
S87	0	WWN same look near3 up same (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 13:15
S88	0	(WWN or "world wide name") same look near3 up same (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 13:15
S89	55	(WWN or "world wide name") same (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 13:15
S90	2	("6775830").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 13:17
S91	6	((("6363391") or ("6314460") or ("6182222")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 13:21
S92	2	("7165152").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 13:27
S93	2	("20030115324").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 13:28
S94	2	("6754718").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 13:35
S95	19	(alter\$4 or chang\$4) near3 (OS or "operating system") with requirement and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 13:50

S96	0	(alter\$4 or chang\$4) near3 (OS or "operating system") with requirement same SAN and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 13:51
S97	23	(alter\$4 or chang\$4) near3 install\$4 near3 (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 13:56
S98	33	install\$4 near3 (OS or "operating system") same (preference or requirement) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 14:01
S99	15	customiz\$4 near3 (OS or "operating system") same (preference or requirement) and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 14:02
S100	119	customiz\$4 adj2 (OS or "operating system") and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 14:05
S101	11	(customiz\$4 adj2 (OS or "operating system")).ab.ti. and (@ad<="20010830" or @rlad<="20010830")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 14:06

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	9215	(709/220,221,222,227,228).CCLS.	USPAT; UPAD	OR	OFF	2010/06/02 17:04
L7	2374	(711/152,163,164).CCLS.	USPAT; UPAD	OR	OFF	2010/06/02 17:09
L9	480	(WWN or "World Wide Name") same Fibre	USPAT; UPAD	OR	ON	2010/06/02 17:11
L10	4679	(711/152,162,163,164).CCLS.	USPAT; UPAD	OR	OFF	2010/06/02 17:11
L11	13853	l2 or l10	USPAT; UPAD	OR	ON	2010/06/02 17:11
L12	10	"l22" and l9	USPAT; UPAD	OR	ON	2010/06/02 17:11

6/2/2010 5:30:55 PM**C:\Documents and Settings\btiv\My Documents\EAST\Workspaces\09944288_diskless_boot_SAN.wsp**